

In The Claims:

1. (Cancelled).
2. (Currently Amended) The system of claim [[1]] 8 wherein said event content includes restricted information that is related to at least one of a [[said]] specified event, an [[said]] event location, and one or more participants in said specified event.
3. (Currently Amended) The system of claim [[1]] 8 wherein said user device is implemented as at least one of a personal digital assistant device, a cellular telephone device, a computer device, and a portable wireless telecommunications device.
4. (Currently Amended) The system of claim [[1]] 8 wherein said user device communicates with said event server through one or more wireless base station transceivers and one or more local area networks, said user device communicating with said event server through at least one of a first direct path from said one or more local area networks, an indirect path from said one or more local area networks through an Internet network, and a second direct path from said user device directly through said Internet network.
5. (Cancelled).
6. (Currently Amended) The system of claim [[5]] 8 wherein said device memory includes application software, an operating system, device content information, user data, a login/configuration module for providing said access code to said event server, a download module for updating said application software, a profile module, an access rights module, video streaming support services, and a metadata module for managing ancillary data related to a particular event.

7. (Cancelled).
8. (Previously Presented) A system for providing event content to a system user, comprising:
 - an event server configured to manage said event content, said event server providing a restricted access to said event content over an electronic network; and
 - a user device configured to communicate with said event server over said electronic network by performing a wireless communications procedure, said user device including a processor, a display, a device memory, a sound module, one or more user interfaces, and input/output interfaces, said input/output interfaces including a wireless communications interface, a network interface, and a removable memory interface, said device memory storing user data related to said system user for sending to said event server to facilitate optimally providing said event content, said user data including at least one of a user profile, event location information, and access rights, said access rights including one or more time-stamped access capabilities that each correspond to a different event service, said time-stamped access capabilities being provided by said event server after receiving said access code from said user device, said user device initially providing an access code to said event server for accessing said event content, said event server responsively providing said event content to said user device until said access code expires.
9. (Currently Amended) The system of claim [[1]] 8 wherein said event server includes a processor, a display, a server memory, one or more user interfaces, and input/output interfaces, said input/output interfaces including at least one of a wireless communications interface and a network interface.

10. (Original) The system of claim 9 wherein said server memory includes application software, an operating system, server content information, users information, a login/configuration manager, an upload module for updating device application software, a profile manager, an access rights manager for managing said restricted access to said event content, a video streaming manager, and a metadata manager for managing ancillary data related to a particular event.
11. (Previously Presented) The system of claim 10 wherein said users information includes one or more sets of user data that each relates to a different one of a plurality of system users for optimally selecting and providing said event content by said event manager, said sets of user data each including at least event location information or access rights.
12. (Previously Presented) The system of claim 10 wherein said server content information includes at least one of restricted content, free content and public content, said access rights manager of said event server allocating said server content information based on said access code.
13. (Cancelled).
14. (Currently Amended) The system of claim [[1]] 8 wherein said system user initiates a login procedure during which said user device contacts said event server and provides user data to said event server, said user data including said access code.
15. (Original) The system of claim 14 wherein said event server provides configuration information to said user device after receiving said access code, said user device responsively performing a configuration procedure.

16. (Original) The system of claim 14 wherein said event server provides application update information to said user device after receiving said user data, said user device responsively performing an application software update procedure.
17. (Original) The system of claim 14 wherein said user device obtains and utilizes said restricted access to said event content and other event services from said event server based upon said access code, said access rights manager of said event server providing authorized restricted content and free content based upon unexpired time-stamped access capabilities.
18. (Original) The system of claim 17 wherein said system user performs a logoff procedure to disconnect from said restricted access to said event server, said system user performing a subsequent login procedure for reconnecting to said restricted access of said event server.
19. (Original) The system of claim 17 wherein said access code expires when said access rights manager detects that all time-stamped access capabilities related to said event content have exceeded a time-stamp threshold value, said event server responsively terminating said restricted access to said event content.
20. (Currently Amended) The system of claim ~~[[1]]~~ 8 wherein multiple user devices access said event server from multiple event locations by utilizing a plurality of access codes.
21. (Cancelled).
22. (Currently Amended) The method of claim ~~[[21]]~~ 28 wherein said event content includes restricted information that is related to at least one of a ~~[[said]]~~ specified event, an ~~[[said]]~~ event location; and one or more participants in said specified event.

23. (Currently Amended) The method of claim [[21]] 28 wherein said user device is implemented as at least one of a personal digital assistant device, a cellular telephone device, a computer device, and a portable wireless telecommunications device.

24. (Currently Amended) The method of claim [[21]] 28 wherein said user device communicates with said event server through one or more wireless base station transceivers and one or more local area networks, said user device communicating with said event server through at least one of a first direct path from said one or more local area networks, an indirect path from said one or more local area networks through an Internet network, and a second direct path from said user device directly through said Internet network.

25. (Cancelled).

26. (Currently Amended) The method of claim [[25]] 28 wherein said device memory includes application software, an operating system, device content information, user data, a login/configuration module for providing said access code to said event server, a download module for updating said application software, a profile module, an access rights module, video streaming support services, and a metadata module for managing ancillary data related to a particular event.

27. (Currently Amended) The method of claim [[25]] 28 wherein said device memory stores user data related to said system user for sending to said event server to facilitate optimally providing said event content, said user data including at least event location information or access rights.

28. (Previously Presented) A method for providing event content to a system user, comprising:

managing said event content with an event server that provides a restricted access to said event content over an electronic network; and communicating with said event server over said electronic network with a user device that performs a wireless communications procedure, said user device including a processor, a display, a device memory, a sound module, one or more user interfaces, and input/output interfaces, said input/output interfaces including a wireless communications interface, a network interface, and a removable memory interface, said device memory storing user data related to said system user for sending to said event server to facilitate optimally providing said event content, said user data including at least one of a user profile, event location information, and access rights, said access rights including one or more time-stamped access capabilities that each correspond to a different event service, said time-stamped access capabilities being provided by said event server after receiving said access code from said user device, said user device initially providing an access code to said event server for accessing said event content, said event server responsively providing said event content to said user device until said access code expires.

29. (Currently Amended) The method of claim [[21]] 28 wherein said event server includes a processor, a display, a server memory, one or more user interfaces, and input/output interfaces, said input/output interfaces including at least one of a wireless communications interface and a network interface.

30. (Original) The method of claim 29 wherein said server memory includes application software, an operating system, server content information, users information, a login/configuration manager, an upload module for updating device application software, a profile manager, an access rights manager for managing said restricted access to said event content, a video streaming manager, and a metadata manager for managing ancillary data related to a particular event.

31. (Previously Presented) The method of claim 30 wherein said users information includes one or more sets of user data that each relates to a different one of a plurality of system users for optimally selecting and providing said event content by said event manager, said sets of user data each including at least event location information or access rights.

32. (Original) The method of claim 30 wherein said server content information includes at least one of restricted content, free content and public content, said access rights manager of said event server allocating said server content information based said access code.

33. (Cancelled).

34. (Currently Amended) The method of claim ~~[[21]]~~ 28 wherein said system user initiates a login procedure during which said user device contacts said event server and provides user data to said event server, said user data including said access code.

35. (Original) The method of claim 34 wherein said event server provides configuration information to said user device after receiving said access code, said user device responsively performing a configuration procedure.

36. (Original) The method of claim 34 wherein said event server provides application update information to said user device after receiving said user data, said user device responsively performing an application software update procedure.

37. (Original) The method of claim 34 wherein said user device obtains and utilizes said restricted access to said event content and other event services from said event server based upon said access code, said access rights manager of said event server providing authorized restricted content and free content based upon unexpired time-stamped access capabilities.

38. (Original) The method of claim 37 wherein said system user performs a logoff procedure to disconnect from said restricted access to said event server, said system user performing a subsequent login procedure for reconnecting to said restricted access of said event server.

39. (Original) The method of claim 37 wherein said access code expires when said access rights manager detects that all time-stamped access capabilities related to said event content have exceeded a time-stamp threshold value, said event server responsively terminating said restricted access to said event content.

40. (Currently Amended) The method of claim ~~[[21]]~~ 28 wherein multiple user devices access said event server from multiple event locations by utilizing a plurality of access codes.

41. (Currently Amended) The method of claim ~~[[21]]~~ 28 wherein said system user utilizes said user device to provide user feedback information to said event server.

42. (Currently Amended) The method of claim [[21]] 28 wherein said system user utilizes said user device to communicate with said event server for purchasing an admission to a future event.

43. (Cancelled).

44. (Cancelled).

45. (Previously Presented) A system for providing event content to a system user, comprising:

an event server configured to manage said event content, said event server providing a restricted access to said event content over an electronic network; and

a user device configured to communicate with said event server over said electronic network by performing a wireless communications procedure, said user device initially providing an access code to said event server for accessing said event content, said user device having one or more time-stamped access capabilities that are each utilized to access a different event service, said time-stamped access capabilities being provided by said event server after receiving said access code from said user device.

46. (Cancelled).